

Chlorothalonil

Chlorothalonil is a broad-spectrum foliar fungicide that is used in a wide range of fruits, vegetables and cash crops (e.g. coffee) to control *Fungi imperfecti* and *Ascomycetes*.

HELM provides Chlorothalonil as **biocide** for industrial uses.



Action:

- non-systemic
- protective

FRAC classification: M

CAS No.: 1897-45-6

Technical grade: min. 96%/98%

Formulations: 720 SC, 500 SC, 75 WP

Packaging¹:

- 25 kg bags (tech.)
- 25 kg bags (form. WP)
- 200, 25, 19, 5, 1 ltr. (form. SC)

Crops	Diseases	Dose rate ² g a.i./ha
Bananas	Black/yellow sigatoka, <i>Phyllosticta musarum</i>	800 – 1600
Beans, Peas	Anthracnose (<i>C. lindemuthianum</i>), Downy mildew (<i>Peronospora pisi</i>), Grey mould (<i>Botrytis fabae</i>), Leaf spot (<i>Ascochyta fabae</i>), Leaf blight (<i>Ascochyta pisi</i> , <i>Septoria pisi</i>), Rust (<i>Uromyces phaseoli</i>)	1250 – 2500
Cereals	Glume blotch (<i>Septoria nodorum</i>), Leaf scald (<i>Rhynchosporium secalis</i>), Leaf rust (<i>Puccinia recondita</i>)	900 – 1500
Coffee	American leafspot (<i>Mycena citricolor</i>), Brown eye spot (<i>Cercospora coffeicola</i>), Anthracnose (<i>C. lindemuthianum</i>), Coffee berry disease (<i>Colletotrichum coffeanum</i>)	150 – 2300
Potato	Botrytis (<i>Botrytis cinerea</i>), Early blight (<i>Alternaria solani</i>), Late blight (<i>Phytophthora infestans</i>)	880 – 1250
Soybean	Brown spot (<i>Septoria glycines</i>), Leaf spot (<i>Cercospora sojina</i>), Pod/stem blight (<i>Diaporthe phaseolorum</i>)	1130 – 2000

¹upon request we provide customized packaging

²always follow national label recommendations

