

Ziram

Ziram is an inhibitor of enzymes containing copper ions or sulfhydryl groups. It is a foliar fungicide that is used to control a broad range of diseases, particularly in fruit and vegetable crops. Furthermore it is applied as a repellent to birds and rodents.



Action:

- systemic
- protective and curative

FRAC classification: M
CAS No.: 137-30-4
Technical grade: upon request
Formulations: 90 WG
Packaging¹: 25 kg (form.)

Crops	Diseases	Dose rate ² g a.i./ha
Coffee	Brown eye spot (<i>Cercospora coffeicola</i>)	1500 – 2500
Fruits	Brown rot (<i>Monilia laxa</i>), Leaf curls (<i>Taphrina deformans</i>), Scab (<i>Venturia</i> spp.), Shot hole disease (<i>Clasterosporium carpophilum</i>)	180 – 360/100 ltr.
Melon, Cucumber, Pumpkin	Cucumber mildew (<i>Erysiphe cichoriacearum</i>), Downy mildews (<i>Pseudoperonospora</i> spp.), <i>Cladosporium</i> spp.	1200 – 2500
Peas, Beans, Soybeans	Anthracnose (<i>C. lindemuthianum</i>), Leaf spot (<i>Ascochyta</i> spp.), Rusts (<i>Uromyces</i> spp.)	1400 – 2500
Potato, Tomato	Antracnosis (<i>Colletotrichum</i> spp.), Early blight (<i>Alternaria solani</i>), Late blight (<i>Phytophthora infestans</i>), Leaf spot (<i>Septoria lycopersici</i>), <i>Stemphylium botryosum</i>	1500 – 2500
Vegetables (e.g. Broccoli, Brussels Sprouts, Cabbage, Cauliflower)	Black mould, leaf spot (<i>Alternaria brassicae</i>), Gummosis (<i>Phytophthora citrophthora</i>), <i>Colletotrichum</i> spp.	1200 – 2500

¹upon request we provide customized packaging
²always follow national label recommendations

